



Safety is our first priority™

YOKE INDUSTRIAL CORP.

#39,33<sup>rd</sup> Road, Taichung Industrial Park,  
TAICHUNG 407, TAIWAN

TEL:+886-4-2350 8088

FAX:+886-4-2350 1001

## Declaration of Conformity

Certificate No. 80080704 - 10

TO: Mittelman Sicherheitstechnik  
Bessemerstr. 25 Germany  
Germany  
49205191219-35

PO No:SAMPLES

Invoice No:90085204

Description: ITEM : N-3630T  
Rebar Hook 3600#,Yellow Zinc  
Batch No : AMN  
Quantity : 3 PC  
Customer Item No :

Minimum Breaking Load :	23 kN 5000 LBS
Corrosion Resistance :	48 hrs
Plating :	Yellow Zinc
Minimum Side Load :	3600 LBS
Transverse load test	3600 LBS

Manufacturing proof load :	16 kN 3600 LBS
Heat Treat :	35-42HRC
Minimum Gate Load :	3600 LBS
Material :	Alloy Steel

Manufactured and Tested in accordance with CSA Z259.12-16,EN 362,ANSI Z359.12

YOKE INDUSTRIAL CORP.

*Jason Lu*

Dated:2021/10/07

Qualification: QA Manager

QF-009-017 04(2019.05.13)



Safety is our first priority™

YOKE INDUSTRIAL CORP.

#39,33<sup>rd</sup> Road, Taichung Industrial Park,

TAICHUNG 407, TAIWAN

TEL:+886-4-2350 8088

FAX:+886-4-2350 1001

# Declaration of Conformity

Certificate No. 80080704 - 20

TO: Mittelman Sicherheitstechnik  
Bessemerstr. 25 Germany  
Germany  
49205191219-35

PO No:SAMPLES

Invoice No:90085204

Description: ITEM : N-3830T  
Rebar Hook 3600#,Yellow Zinc  
Batch No : ADR  
Quantity : 3 PC  
Customer Item No :

Minimum Breaking Load :	23 kN 5000 LBS
Corrosion Resistance :	48 hrs
Plating :	Yellow Zinc
Minimum Side Load :	3600 LBS
Transverse load test	3600 LBS

Manufacturing proof load :	16 kN 3600 LBS
Heat Treat :	35-42HRC
Minimum Gate Load :	3600 LBS
Material :	Alloy Steel

Manufactured and Tested in accordance with CSA Z259.12-16,EN 362,ANSI Z359.12

YOKE INDUSTRIAL CORP.

*Jason Lu*

Dated:2021/10/07  
Qualification: QA Manager

QF-009-017 04(2019.05.13)



Safety is our first priority™

YOKE INDUSTRIAL CORP.

#39,33<sup>rd</sup> Road, Taichung Industrial Park,  
TAICHUNG 407, TAIWAN  
TEL:+886-4-2350 8088  
FAX:+886-4-2350 1001

# Declaration of Conformity

Certificate No. 80080704 - 30

TO: Mittelman Sicherheitstechnik  
Bessemerstr. 25 Germany  
Germany  
49205191219-35

PO No:SAMPLES

Invoice No:90085204

Description: ITEM : N-3633T/0  
Rebar Swivel Rebar Hook 3600#, Y/Z  
Batch No : AAM  
Quantity : 3 PC  
Customer Item No :

Minimum Breaking Load :	23 kN 5000 LBS
Corrosion Resistance :	48 hrs
Plating :	Yellow Zinc
Minimum Side Load :	3600 LBS
Transverse load test	3600 LBS

Manufacturing proof load :	16 kN 3600 LBS
Heat Treat :	35-42HRC
Minimum Gate Load :	3600 LBS
Material :	Alloy Steel

Manufactured and Tested in accordance with CSA Z259.12-16,EN 362,ANSI Z359.12

YOKE INDUSTRIAL CORP.

*Jason Lu*

Dated:2021/10/07  
Qualification: QA Manager

QF-009-017 04(2019.05.13)